

410 Rec'd PCT/PTO 10 SEP 2001



FORM PTO-1390 (Modified) (REV 5-93)		U.S. DEPARTMENT OF COMMERCE PATENT AND TRADEMARK OFFICE		ATTORNEY'S DOCKET NUMBER
TRANSMITTAL LETTER TO THE UNITED STATES DESIGNATED/ELECTED OFFICE (DO/EO/US) CONCERNING A FILING UNDER 35 U.S.C. 371				060953-0129
INTERNATIONAL APPLICATION NO. PCT/DE00/00765		INTERNATIONAL FILING DATE 03/07/2000	U.S. APPLICATION NO. (If not See 37 CFR 2.25) Unassigned <b>09/936206</b>	
PRIORITY DATE CLAIMED 03/11/1999				
TITLE OF INVENTION HYDROLYZABLE AND POLYMERIZABLE SILANES				
APPLICANT(S) FOR DO/EO/US Herbert WOLTER and Siegfried SCHMITZER				
Applicant herewith submits to the United States Designated/Elected Office (DO/EO/US) the following items and other information:				
1.	<input checked="" type="checkbox"/>	This is a FIRST submission of items concerning a filing under 35 U.S.C. 371.		
2.	<input type="checkbox"/>	This is a SECOND or SUBSEQUENT submission of items concerning a filing under 35 U.S.C. 371.		
3.	<input type="checkbox"/>	This express request to begin national examination procedures (35 U.S.C. 371(f)) at any time rather than delay examination until the expiration of the applicable time limit set in 35 U.S.C. 371(b) and PCT Articles 22 and 39(1).		
4.	<input type="checkbox"/>	A proper Demand for International Preliminary Examination was made by the 19 <sup>th</sup> month from the earliest claimed priority date.		
5.	<input checked="" type="checkbox"/>	A copy of the International Application as filed (35 U.S.C. 371(c)(2))		
	<input type="checkbox"/>	is transmitted herewith (required only if not transmitted by the International Bureau).		
	<input checked="" type="checkbox"/>	has been transmitted by the International Bureau.		
	<input type="checkbox"/>	is not required, as the application was filed in the United States Receiving Office (RO/US)		
6.	<input checked="" type="checkbox"/>	A translation of the International Application into English (35 U.S.C. 371(c)(2)).		
7.	<input checked="" type="checkbox"/>	Amendments to the claims of the International Application under PCT Article 19 (35 U.S.C. 371(c)(3))		
	<input type="checkbox"/>	are transmitted herewith (required only if not transmitted by the International Bureau).		
	<input type="checkbox"/>	have been transmitted by the International Bureau.		
	<input type="checkbox"/>	have not been made; however, the time limit for making such amendments has NOT expired.		
	<input checked="" type="checkbox"/>	have not been made and will not be made.		
8.	<input type="checkbox"/>	A translation of the amendments to the claims under PCT Article 19 (35 U.S.C. 371(c)(3)).		
9.	<input type="checkbox"/>	An oath or declaration of the inventor(s) (35 U.S.C. 371(c)(4)).		
10.	<input type="checkbox"/>	A translation of the annexes to the International Preliminary Examination Report under PCT Article 36 (35 U.S.C. 371(c)(5)).		
11.	<input type="checkbox"/>	Applicant claims small entity status under 37 CFR 1.27.		
Items 12. to 17. below concern other document(s) or information included:				
12.	<input type="checkbox"/>	An Information Disclosure Statement under 37 CFR 1.97 and 1.98.		
13.	<input type="checkbox"/>	An assignment document for recording. A separate cover sheet in compliance with 37 CFR 3.28 and 3.31 is included.		
14.	<input checked="" type="checkbox"/>	A FIRST preliminary amendment.		
	<input type="checkbox"/>	A SECOND or SUBSEQUENT preliminary amendment.		
15.	<input type="checkbox"/>	A substitute specification.		
16.	<input type="checkbox"/>	A change of power of attorney and/or address letter.		
17.	<input type="checkbox"/>	Other items or information:		

U.S. APPLICATION NO. (known, see 37 CFR 1.50) Unassigned <b>09/936206</b>		INTERNATIONAL APPLICATION NO PCT/DE00/00765		ATTORNEY'S DOCKET NUMBER 060953-0129	
18. <input checked="" type="checkbox"/> The following fees are submitted:				<b>CALCULATIONS</b>	
Basic National Fee (37 CFR 1.492(a)(1)-(5): Search Report has been prepared by the EPO or JPO.....\$860.00					
International preliminary examination fee paid to USPTO (37 CFR 1.482) .....\$690.00					
No international preliminary examination fee paid to USPTO (37 CFR 1.482) but international search fee paid to USPTO (37 CFR 1.445(a)(2)) .....\$710.00					
Neither international preliminary examination fee (37 CFR 1.482) nor International search fee (37 CFR 1.445(a)(2)) paid to USPTO ..... \$1,000.00					
International preliminary examination fee paid to USPTO (37 CFR 1.482) and all claims satisfied provisions of PCT Article 33(2)-(4) .....\$100.00					
<b>ENTER APPROPRIATE BASIC FEE AMOUNT =</b>				\$860.00	
Surcharge of \$130.00 for furnishing the oath or declaration later than 20 Months from the earliest claimed priority date (37 CFR 1.492(e))					
Claims	Number Filed	Included in Basic Fee	Extra Claims	Rate	
Total Claims	20	-	20	=	0 x \$18.00
Independent Claims	1	-	3	=	0 x \$80.00
Multiple dependent claim(s) (if applicable)				\$270.00	
<b>TOTAL OF ABOVE CALCULATIONS =</b>				\$860.00	
Reduction by 1/2 for filing by small entity, if applicable.				\$0.00	
<b>SUBTOTAL =</b>				\$860.00	
Processing fee of \$130.00 for furnishing English translation later the 20 months from the earliest claimed priority date (37 CFR 1.492(f)).				+	
<b>TOTAL NATIONAL FEE =</b>				\$860.00	
Fee for recording the enclosed assignment (37 CFR 1.21(h)). The assignment must be accompanied by an appropriate cover sheet (37 CFR 3.28, 3.31). \$40.00 per property +					
<b>TOTAL FEES ENCLOSED =</b>				\$860.00	
				Amount to be: refunded \$	
				charged \$	
<p>a. <input checked="" type="checkbox"/> A check in the amount of \$860.00 to cover the above fees is enclosed.</p> <p>b. <input type="checkbox"/> Please charge my Deposit Account No. <u>19-0741</u> in the amount of \$0.00 to the above fees. A duplicate copy of this sheet is enclosed.</p> <p>c. <input checked="" type="checkbox"/> The Commissioner is hereby authorized to charge any additional fees which may be required, or credit any overpayment to Deposit Account No. <u>19-0741</u>. A duplicate copy of this sheet is enclosed.</p>					
NOTE: Where an appropriate time limit under 37 CFR 1.494 or 1.495 has not been met, a petition to revive (37 CFR 1.137(a) or (b)) must be filed and granted to restore the application to pending status.					
SEND ALL CORRESPONDENCE TO:					
Foley & Lardner Washington Harbour 3000 K Street, N.W., Suite 500 Washington, D.C. 20007-5109			SIGNATURE <u>Stephen A. Bent</u> NAME STEPHEN A. BENT		
REGISTRATION NUMBER 29,768					

09/936206

518 Rec'd PCT/PTO 10 SEP 2001

UNITED STATES PATENT AND TRADEMARK OFFICE

In re patent application of

«3»

Corres. to PCT/DE00/00765

For: «4»

TRANSLATOR'S DECLARATION

Assistant Commissioner for Patents  
Washington, D.C. 20231

Sir:

I, the below named translator, certify that I am familiar with both the German and the English language, that I have prepared the attached English translation of International Application No. PCT/DE00/00765, and that the English translation is a true, faithful and exact translation of the corresponding German language paper.

I further declare that all statements made in this declaration of my own knowledge are true and that all statements made on information and belief are believed to be true; and further, that these statements were made with the knowledge that willful, false statements and the like so made are punishable by fine or imprisonment, or both, under Section 1001 of Title 18 of the United States Code and that such willful, false statements may jeopardize the validity of legal decisions of any nature based on them.

Date: 21 August 2001

D. Mullen

Name: Donald Joseph Edgar MULLEN

For and on behalf of RWS Group plc

**IN THE UNITED STATES PATENT AND TRADEMARK OFFICE**

Applicant: Herbert Wolter et al  
Title: HYDROLYZABLE AND  
POLYMERIZABLE SILANES  
Appl. No.: Unassigned  
Filing Date: 09/10/2001  
Examiner: Unassigned  
Art Unit: Unassigned

**PRELIMINARY AMENDMENT**

Commissioner for Patents  
Box PATENT APPLICATION  
Washington, D.C. 20231

Sir:

Prior to examination of the above-identified application, Applicants respectfully request that the following amendments be entered into the application:

**In the Claims:**

In accordance with 37 CFR §1.121, please substitute for original Claims 9, 10, 12, 15, 16, 19 and 20 the following rewritten versions of the same claims, as amended. The changes are shown explicitly in the attached "Versions With Markings to Show Changes Made."

9. (Amended) The silane as claimed in claim 1, wherein, in the general formula I, Ia, Ib, Ic, Id, Ie, If or Ig, the radicals and indices have the following meaning:

X = (C<sub>1</sub>-C<sub>4</sub>)-alkoxy, preferably methoxy or ethoxy, or halogen, preferably Cl;

R = (C<sub>1</sub>-C<sub>4</sub>)-alkyl, preferably methyl and ethyl;

R' = (C<sub>1</sub>-C<sub>4</sub>)-alkylene, preferably methylene, ethylene and propylene;

B, R<sup>o</sup>, a, b, c, d and e are as defined in claim 1.

10. (Amended) The silane as claimed in claim 1, wherein B in the general formula I, Ia, Ib, Ic, Id, Ie, If or Ig is a substituted or unsubstituted organic radical having one or more acrylate and/or methacrylate groups.

12. (Amended) A process for the preparation of the silanes as claimed in claim 1, wherein b x e moles of a compound  $B(\text{COOH})_d$  are reacted with d moles of a compound  $[\{\text{OCN-R}'\}_e \text{R}^{\circ}_c]_b \text{SiX}_a \text{R}_{4-a-b}$  under decarboxylating conditions, the radicals and indices being as defined in claim 1.

15. (Amended) The use as claimed in claim 13, wherein one or more initiators are added to the polycondensate and wherein the polycondensate is cured thermally and/or photochemically and/or by redox initiation.

16. (Amended) The use as claimed in claim 13, wherein one or more components capable of free radical and/or ionic and/or covalent nucleophilic polymerization are added to the polycondensate before the curing.

19. (Amended) The use as claimed in claim 17, wherein the polymer is hydrolytically condensed, optionally in the presence of further hydrolytically condensable compounds of silicon and optionally other elements from the group consisting of B, Al, P, Sn, Pb, the transition metals, the lanthanides and the actinides, and/or precondensates derived from the abovementioned compounds, by the action of water or moisture, optionally in the presence of a catalyst and/or of a solvent.

20. (Amended) The use of the silanes as claimed in claim 1 for the preparation of polycondensates, of heteropolycondensates, of polymers, of bulk materials, of composites, of adhesives, of casting and sealing compounds, of coating materials, of coatings, of abrasives, of adhesion promoters, of binders, of fillers, of fibers, of films, of (contact) lenses and of dental restoration materials.

REMARKS

Applicants respectfully request that the foregoing amendments to Claims 9, 10, 12, 15, 16, 19 and 20 be entered in order to avoid this application incurring a surcharge for the presence of one or more multiple dependent claims.

Respectfully submitted,

By



Date September 10, 2001

FOLEY & LARDNER  
Washington Harbour  
3000 K Street, N.W., Suite 500  
Washington, D.C. 20007-5109  
Telephone: (202) 672-5404  
Facsimile: (202) 672-5399

Stephen A. Bent  
Attorney for Applicant  
Registration No. 29,768

**VERSIONS WITH MARKINGS TO SHOW CHANGES MADE**

9. The silane as claimed in [any of claims 1 to 8] claim 1, wherein, in the general formula I, Ia, Ib, Ic, Id, Ie, If or Ig, the radicals and indices have the following meaning:

X = (C<sub>1</sub>-C<sub>4</sub>)-alkoxy, preferably methoxy or ethoxy, or halogen, preferably Cl;

R = (C<sub>1</sub>-C<sub>4</sub>)-alkyl, preferably methyl and ethyl;

R' = (C<sub>1</sub>-C<sub>4</sub>)-alkylene, preferably methylene, ethylene and propylene;

B, R<sup>o</sup>, a, b, c, d and e are as defined in claim 1.

10. The silane as claimed in [one or more of claims 1 to 9] claim 1, wherein B in the general formula I, Ia, Ib, Ic, Id, Ie, If or Ig is a substituted or unsubstituted organic radical having one or more acrylate and/or methacrylate groups.

12. A process for the preparation of the silanes as claimed in [one or more of claims 1 to 11] claim 1, wherein b x e moles of a compound B(COOH)<sub>d</sub> are reacted with d moles of a compound [ {OCN-R'}<sub>e</sub>R<sup>o</sup><sub>c</sub>]<sub>b</sub>SiX<sub>a</sub>R<sub>4-a-b</sub> under decarboxylating conditions, the radicals and indices being as defined in claim 1.

15. The use as claimed in claim 13 [or 14], wherein one or more initiators are added to the polycondensate and wherein the polycondensate is cured thermally and/or photochemically and/or by redox initiation.

16. The use as claimed in [one or more of claims 13 to 15] claim 13, wherein one or more components capable of free radical and/or ionic and/or covalent nucleophilic polymerization are added to the polycondensate before the curing.

19. The use as claimed in claim 17 [or 18], wherein the polymer is hydrolytically condensed, optionally in the presence of further hydrolytically condensable compounds of silicon and optionally other elements from the group consisting of B, Al, P, Sn, Pb, the transition metals, the lanthanides and the actinides, and/or precondensates derived from the abovementioned compounds, by the action of water or moisture, optionally in the presence of a catalyst and/or of a solvent.

20. The use of the silanes as claimed in [one or more of claims 1 to 11] claim 1 for the preparation of polycondensates, of heteropolycondensates, of polymers, of bulk materials, of composites, of adhesives, of casting and sealing compounds, of coating materials, of coatings, of abrasives, of adhesion promoters, of binders, of fillers, of fibers, of films, of (contact) lenses and of dental restoration materials.

002.635538.1



WO 00/53612

PCT/DE00/00765

## Hydrolyzable and polymerizable silanes

The invention relates to hydrolyzable and polymerizable silanes, a process for their preparation and their use for the preparation of silica polycondensates or silica heteropolycondensates and for the preparation of polymers or heteropolymers.


Hydrolyzable, organically modified silanes are widely used in the production of scratch-resistant coatings for a very wide range of substrates, and for the production of fillers, of adhesives and sealing compounds of moldings. These silanes are condensed hydrolytically either alone, as mixtures or in the presence of further hydrolyzable and/or condensable components, the final curing being effected thermally or photochemically or by redox initiation.

Thus, for example, DE 3407087 C2 discloses scratch-resistant coatings which form as a result of hydrolytic condensation of a mixture which comprises, inter alia, a hydrolyzable titanium or zirconium compound and a hydrolyzable organofunctional silane  $R'_m(R''Y)_nSiX_{(4-m-n)}$ , where  $R'$  is, for example, alkyl or alkenyl,  $R''$  is, for example, alkylene or alkenylene and  $X$  is a hydrolyzable radical.

DE 3536716 A1 discloses, for example, adhesives and sealing compounds which have been obtained by hydrolytic condensation of one or more organosilanes of

the general formula  $R_mSiX_{4-m}$  and, if desired, one or more of the components  $SiX_4$  and/or  $R_n(R''Y)_pSiX_{4-n-p}$ , where R and R'' are, for example, alkyl, alkenyl, aryl, alkylaryl, arylalkyl, alkenylaryl or arylalkenyl, X is, for example, hydrogen, halogen, hydroxyl, alkoxy or acyloxy and Y is, for example, a halogen or an optionally substituted amino, amido, aldehyde, alkylcarbonyl, carboxyl, hydroxyl, mercapto or cyano group.

Furthermore, commercial silanes having reactive double bonds, such as, for example, (meth)acryloyloxy-silanes of the following type



where R is hydrogen or methyl and X is, for example, halogen or alkoxy, are known. These silanes are hydrolyzable and polymerizable and can be used for the preparation of the abovementioned systems. They have the major advantage that the resulting coating, the resulting filler, adhesive or sealing compound or the resulting molding can be cured by polymerization at the reactive double bond, thermally, photochemically or by redox initiation.

Commercial silanes having reactive double bonds, such as, for example, the abovementioned (meth)acryloyloxysilanes, are in general monofunctional compounds having a C=C double bond and as a rule have a low molecular weight and, prior to the Si-X hydrolysis and condensation, are therefore relatively volatile


compounds which are toxicologically unsafe owing to the acryloyl group present. In the further processing by polymerization or modified functionalization, these silanes also have the disadvantage that, owing to the presence of only one C=C double bond, only chain polymers are obtainable and, in the case of prior functionalization, this C=C double bond necessary for the organic polymerization is generally lost. Furthermore, as a rule only a short chain is present between the double bond and the silicon capable of forming an inorganic network, so that the mechanical properties (flexibility, etc.) can be varied only within narrow limits via the organic groups.

Although DE 4011044 C2 and DE 4416857 C1 disclose hydrolyzable and polymerizable silanes which have more than one reactive C=C double bond and in which the distance between the reactive double bond and the silicon capable of forming an inorganic network is longer, there is still a need for an improvement, also with respect to the functionalization of the molecule.

It is therefore an object of the present invention to provide novel, organically modified silanes which are hydrolyzable and polymerizable and which, alone, as mixtures or together with other hydrolyzable, condensable or polymerizable components, can be processed to give scratch-resistant coatings, fillers, adhesives or sealing compounds, moldings or embedding materials. These silanes should be capable of

being used universally and it should be possible to incorporate them in an inorganic-organic composite system, i.e. in an inorganic-organic network. Furthermore, these silanes should be capable of being prepared rapidly and simply, i.e. without a complicated synthesis process. Furthermore, the distance between silicon and reactive double bond should be freely adjustable, and the silane should moreover have a plurality of C=C double bonds.

This object is achieved by hydrolyzable and polymerizable silanes of the general formula I



in which the radicals and indices have the following meaning:

B = straight-chain or branched organic radical having 2 to 50 carbon atoms and at least one C=C double bond, the -CO-NH- group being bonded to a carbon atom of the radical B, and B containing no norbornene, bicyclo[2.2.2]oct-2-ene or 7-oxabicyclo[2.2.1]hept-2-ene group;

R = optionally substituted alkyl, alkenyl, aryl, alkylaryl or arylalkyl, each having 1 to 15 carbon atoms, it being possible for these radicals to contain oxygen and/or sulfur and/or nitrogen atoms;

R<sup>o</sup> = optionally substituted alkylene, alkenylene, arylene, alkylenearylene or arylenealkylene, each

having 1 to 15 carbon atoms, it being possible for these radicals to contain oxygen and/or sulfur and/or nitrogen atoms;

R' = optionally substituted alkylene, alkenylene, arylene, alkylenearylene or arylenealkylene, each having 1 to 15 carbon atoms, it being possible for these radicals to contain oxygen and/or sulfur and/or nitrogen atoms;

X = hydrogen, halogen, hydroxyl, alkoxy, acyloxy, alkylcarbonyl, alkoxycarbonyl or NR''<sub>2</sub>, where R'' is hydrogen, alkyl or aryl;

a = 1, 2 or 3;

b = 1, 2 or 3, and a+b = 2, 3 or 4;

c = 0 or 1;








d = 1, 2, 3, 4, 5, 6, 7, 8, 9 or 10;

e = 1, 2, 3 or 4, where e = 1 when c = 0.

The silanes of the formula I are polymerizable via the radicals B and hydrolyzable via the radicals X. An inorganic network with Si-O-Si units can be built up via hydrolyzable groups, while an organic network can be built up by the polymerization of the double bond(s) contained in the radical B.

In preferred embodiments of the silanes according to the invention, the indices b and/or d and/or e = 1. Compounds of the formula Ia result when d = 1, those of the formula Ib when e = 1, those of the formula Ic when b = 1, those of the formula Id when b = e = 1, those of the formula Id when d = e = 1,

those of the formula If when  $b = d = 1$  and those of the formula Ig when  $b = d = e = 1$ .



The alkyl radicals are, for example, straight-chain, branched or cyclic radicals having 1 to 15, in particular having 1 to 10, carbon atoms and preferably lower alkyl radicals having 1 to 6, particularly preferably having 1 to 4, carbon atoms. Specific examples are methyl, ethyl, n-propyl, isopropyl, n-butyl, isobutyl, sec-butyl, tert-butyl, n-pentyl, n-hexyl, cyclohexyl, 2-ethylhexyl, dodecyl and octadecyl. The hydrogen atoms of the alkyl radical may also be substituted by other atoms or groups.

The alkenyl radicals are, for example, straight-chain, branched or cyclic radicals having 2 to 15, preferably having 2 to 10, carbon atoms and preferably lower alkenyl radicals having 2 to 6 carbon atoms, such as, for example, vinyl, alkyl and 2-butenyl.

Preferred aryl radicals are phenyl, biphenyl

and naphthyl. The alkoxy, acyloxy, alkylamino, dialkylamino, alkylcarbonyl, alkoxycarbonyl, arylalkyl, alkylaryl, alkylene and alkylenearylene radicals are preferably derived from the abovementioned alkyl and aryl radicals. Specific examples are methoxy, ethoxy, n-propoxy and isopropoxy, n-, iso-, sec- and tert-butoxy, monomethylamino, monoethylamino, dimethylamino, diethylamino, N-ethylanilino, acetyloxy, propionyloxy, methylcarbonyl, ethylcarbonyl, methoxycarbonyl, ethoxycarbonyl, benzyl, 2-phenylethyl and tolyl.

The alkylene, arylene, alkylenearylene and arylenealkylene radicals are preferably derived from the abovementioned alkyl and aryl radicals. Examples of preferred alkylene radicals are  $-\text{CH}_2-$ ,  $-\text{C}_2\text{H}_4-$ ,  $-\text{C}_3\text{H}_6-$  and  $-\text{C}_4\text{H}_8-$ . Said radicals can optionally carry one or more substituents, for example halogen, alkyl, hydroxyalkyl, alkoxy, aryl, aryloxy, alkylcarbonyl, alkoxycarbonyl, furfuryl, tetrahydrofurfuryl, amino, monoalkylamino, dialkylamino, trialkylamino, amido, hydroxyl, formyl, carboxyl, mercapto, cyano, isocyanato, nitro, epoxy,  $\text{SO}_3\text{H}$  or  $\text{PO}_4\text{H}_2$ . Among the halogens, fluorine, chlorine and bromine are preferred and chlorine is particularly preferred. The radical X is preferably a fluorinated alkoxy group.

Where  $a \geq 2$  or  $4-a-b = 2$ , the radicals X and R may have the same or a different meaning in each case.

The radical B is derived from a substituted or unsubstituted compound  $\text{B}(\text{COOH})_d$  having at least one  $\text{C}=\text{C}$

double bond, for example having vinyl, allyl, acryloyl and/or methacryloyl groups, and having 2 to 50, preferably having 2 to 30, carbon atoms. B is preferably derived from a substituted or unsubstituted compound having two or more acrylate or methacrylate groups. Such compounds are referred to below as (meth)acrylates. If the compound  $B(\text{COOH})_d$  is substituted, the substituents can be selected from the abovementioned substituents. The index d may assume values from 1 to 10, values from 1 to 4 being preferred.


In further preferred embodiments, the radical B is derived from acrylates and/or from methacrylates of trimethylolpropane, of glycerol, of pentaerythritol, of dipentaerythritol, of  $\text{C}_2$ - $\text{C}_4$ -alkanediols, of polyethylene glycols, of polypropylene glycols and of optionally substituted and/or alkoxyated bisphenol A.

Without restricting the generality, further specific examples of radicals B are disclosed in DE 4416857 C1, pages 4 to 18. This disclosure is hereby especially incorporated by reference. Via its free valences, the radical B is linked in each case to an amido group  $-\text{C}(\text{O})-\text{N}(\text{H})-$ , these amido groups being bonded in each case to a carbon atom of the radical B.

The silanes according to the invention can be prepared, for example, by reacting d moles of a compound  $[\{\text{OCN}-\text{R}'\}_e\text{R}^{\text{O}}_c]_b\text{SiX}_a\text{R}_{4-a-b}$  under decarboxylating conditions with b-e moles of a compound  $B(\text{COOH})_d$ , the



radicals and indices being defined as in claim 1. The general equation is as follows.



The reaction is preferably effected at from room temperature to 60°C. However, lower or higher temperatures are also possible. If the starting materials are liquid at the reaction temperature, the reaction can also be carried out without a solvent. If solvents are used, for example, THF, toluene and ethyl acetate are suitable. Particularly good results are obtained if the solvents used are dried. In order to accelerate the reaction, catalysts may also be used. Suitable catalysts are, for example, tertiary amines, such as, for example, DABCO (1,4-diazocyclo[2.2.2]-octane). If the compound  $\left[ \left\{ \text{OCN} - \text{R}' \right\}_e \text{R}^\circ \right]_b \text{SiX}_a \text{R}_{4-a-b}$  is used in excess, the resulting silane according to the invention has free carboxyl groups on the radical B.

Without restricting the generality, specific examples of radicals  $-\text{R}' - \text{R}^\circ \text{SiX}_a \text{R}_{3-a}$  are mentioned below, where n assumes the values 1 to 10 in each case.

- $-(\text{CH}_2)_n - \text{Si}(\text{CH}_3)_2(\text{OC}_2\text{H}_5)$ ,  $-(\text{CH}_2)_n - \text{Si}(\text{CH}_3)(\text{OC}_2\text{H}_5)_2$ ,
- $-(\text{CH}_2)_n - \text{Si}(\text{OC}_2\text{H}_5)_3$ ,  $-(\text{CH}_2)_n - \text{Si}(\text{C}_2\text{H}_5)_2(\text{OCH}_3)$ ,
- $-(\text{CH}_2)_n - \text{Si}(\text{C}_2\text{H}_5)(\text{OCH}_3)_2$ ,  $-(\text{CH}_2)_n - \text{Si}(\text{OCH}_3)_3$ ,
- $-(\text{CH}_2)_n - \text{Si}(\text{CH}_3)_2(\text{OCH}_3)$ ,  $-(\text{CH}_2)_n - \text{Si}(\text{CH}_3)(\text{OCH}_3)_2$ ,
- $-(\text{CH}_2)_n - \text{Si}(\text{C}_2\text{H}_5)_2(\text{OC}_2\text{H}_5)$ ,  $-(\text{CH}_2)_n - \text{Si}(\text{C}_2\text{H}_5)(\text{OC}_2\text{H}_5)_2$ ,
- $-(\text{CH}_2)_n - \text{Si}(\text{CH}_3)(\text{C}_2\text{H}_5)(\text{OCH}_3)$ ,  $-(\text{CH}_2)_n - \text{Si}(\text{CH}_3)(\text{C}_2\text{H}_5)(\text{OC}_2\text{H}_5)$ ,
- $-(\text{CH}_2)_n - \text{Si}(\text{CH}_3)(\text{OC}_2\text{H}_5)(\text{OCH}_3)$ ,  $-(\text{CH}_2)_n - \text{Si}(\text{C}_2\text{H}_5)(\text{OC}_2\text{H}_5)(\text{OCH}_3)$ ,

- $(\text{CH}_2)_n\text{-Si}(\text{OC}_2\text{H}_5)_2(\text{OCH}_3)$ , -  $(\text{CH}_2)_n\text{-Si}(\text{OC}_2\text{H}_5)(\text{OCH}_3)_2$ ,
- $(\text{CH}_2)_n\text{-Si}(\text{CH}_3)(\text{OC}(\text{CH}_3)=\text{CH}_2)_2$ ,
- $(\text{CH}_2)_n\text{-Si}(\text{C}_2\text{H}_5)(\text{OC}(\text{CH}_3)=\text{CH}_2)_2$ ,
- $(\text{CH}_2)_n\text{-Si}(\text{CH}_3)_2(\text{OC}(\text{CH}_3)=\text{CH}_2)$ ,
- $(\text{CH}_2)_n\text{-Si}(\text{C}_2\text{H}_5)_2(\text{OC}(\text{CH}_3)=\text{CH}_2)$ ,
- $(\text{CH}_2)_n\text{-Si}(\text{OCH}_3)(\text{OC}(\text{CH}_3)=\text{CH}_2)_2$ ,
- $(\text{CH}_2)_n\text{-Si}(\text{OC}_2\text{H}_5)(\text{OC}(\text{CH}_3)=\text{CH}_2)_2$ ,
- $(\text{CH}_2)_n\text{-Si}(\text{OCH}_3)_2(\text{OC}(\text{CH}_3)=\text{CH}_2)$ ,
- $(\text{CH}_2)_n\text{-Si}(\text{OC}_2\text{H}_5)_2(\text{OC}(\text{CH}_3)=\text{CH}_2)$ , -  $(\text{CH}_2)_n\text{-Si}(\text{C}_6\text{H}_5)(\text{OC}_2\text{H}_5)_2$ ,
- $(\text{CH}_2)_n\text{-Si}(\text{C}_6\text{H}_5)(\text{OCH}_3)_2$ , -  $(\text{CH}_2)_n\text{-Si}(\text{C}_6\text{H}_5)(\text{OCH}_3)(\text{OC}_2\text{H}_5)$ ,
- $(\text{CH}_2)_n\text{-Si}(\text{C}_6\text{H}_5)(\text{OC}(\text{CH}_3)=\text{CH}_2)_2$ .

The silanes according to the invention are stable compounds and can be processed, either alone or together with other hydrolyzable, condensable and/or polymerizable components, to give silica polycondensates or to give silica heteropolycondensates, whose final curing is then effected by polymerization of the C=C double bonds. However, the silanes according to the invention can also be processed alone or together with other hydrolyzable, condensable and/or polymerizable components to give polymers which can then be solidified by subsequent hydrolytic condensation.

Silica (hetero)polycondensates which are modified with organic groups and processes for their preparation (for example starting from hydrolytically condensable organosilanes by the sol-gel process) are known in large number. As already mentioned at the

outset, such condensates are used for a very wide range of purposes, for example as molding materials, as paints for coatings, etc. Owing to the wide range of potential uses of this class of substances, however, there is also a continuous need for modification of the already known condensates, on the one hand in order thus to open up new applications and, on the other hand, further to optimize their properties for specific intended uses.

The silanes according to the invention are hydrolyzable and condensable in a basic or acidic medium without linkage of the C=C double bond taking place as a result. It is thus possible to incorporate the silanes according to the invention into an inorganic-organic network by hydrolytic condensation. The silanes according to the invention contain hydrolyzable groups X, for example alkoxy groups, so that an inorganic network having Si-O-Si units can thus be built up, while the C=C double bonds contained in the radical B can be polymerized with synthesis of an organic network. It is thus possible to replace organically modified, hydrolyzable and condensable silanes, for example in coatings, fillers, adhesives and sealing compounds, in moldings and in embedding materials according to the prior art, by the silanes according to the invention.

In order to synthesize the inorganic network, the silanes according to the invention, optionally with

addition of other cocondensable components, are subjected to hydrolysis and polycondensation. The polycondensation is preferably effected by the sol-gel process, as described, for example, in DE-A1 2758414, 2758415, 3011761, 3826715 and 3835968.

In order to synthesize the organic network, the silanes according to the invention, optionally with addition of other copolymerizable components, are polymerized. The polymerization can be effected, for example, thermally or photochemically or by redox initiation with the use of methods as described, for example, in DE-A1 3143820, 3826715 and 3835968. A combination of these methods is also possible.

Compounds which are capable of undergoing free radical and/or ionic and/or covalent nucleophilic polymerization can be added as further copolymerizable components. Compounds which are capable of free radical polymerization and may be added are, for example, those having C=C double bonds, such as, for example, acrylates or methacrylates, the polymerization being effected via the C=C double bonds. Ionically polymerizable compounds which may be added contain, for example, ring systems capable of undergoing ring-opening cationic polymerization, such as, for example, spiroorthoesters, spiroorthocarbonates, bicyclic spiroorthoesters, mono- or oligoepoxides or spirosilanes, as disclosed in DE 4125201 C1. However, compounds capable of both ionic and free radical

polymerization, such as, for example, methacryloyl-spiroorthoesters, may also be added. These are polymerizable by a free radical method via the C=C double bond and cationically with ring opening. The preparation of these systems is described, for example, in Journal f. prakt. Chemie, Volume 330, Part 2, 1988, pages 316-318. Furthermore, the silanes according to the invention can be used in systems as described, for example, in DE 4405261.

It is also possible to add other known, silane-bonded cyclic systems which can be incorporated as polymerized units. Said systems are, for example, those which contain epoxides. Such systems are described in the preparation of the spirosilanes, in DE 4125201 C1.

The silanes according to the invention are highly reactive systems which lead to poly(hetero)condensates which, on UV irradiation, lead to mechanically stable coatings or moldings or fillers within a very short time. The silanes according to the invention can be prepared by simple addition reactions and have a variable number of reactive groups of different functionalities through a suitable choice of the starting compounds.

When two or more C=C double bonds are present in the radical B, the formation of a three-dimensional, organic network is possible. The mechanical properties (e.g. flexibility) and the physicochemical properties (e.g. adsorption, refractive index, adhesion, etc.) of

the poly(hetero)condensates can be influenced by the distance between the Si atom and the radical B, i.e. by the chain length, by the presence of further functional groups in this chain and by the structure of this chain (linear or branched). By the formation of an inorganic network, silicone-like or glassy properties of the poly(hetero)condensates can be established, depending on the type and number of the hydrolyzable groups (e.g. alkoxy groups).

The silanes according to the invention have relatively high molecular weights and accordingly lower volatility than pure (meth)acrylate monomers, so that the toxic hazard during processing and application is lower. In the case of the inorganic and/or organic network formation, polysiloxanes having further reduced volatility form and thus completely eliminate the toxicity problem of the acrylate components.

If the possibilities for varying the cocondensable and copolymerizable components are then also taken into account, it becomes evident that silica (hetero)polycondensates are provided via the silanes according to the invention, which (hetero)-polycondensates can be adapted in a varied manner to prescribed fields of use and can therefore be used in all areas where silica (hetero)polycondensates are already used, but also open up new potential applications, for example in the area of optics, of electronics, of medicine, of optoelectronics and of

packaging materials for foods, etc. Particularly in the dental sector, the silica (hetero)polycondensates prepared using the silanes according to the invention have major advantages owing to low shrinkage, the inorganic structure, the favorable abrasion behavior and the high molecular weights of the monomers or the possible omission of additional reactive monomers.

The silanes according to the invention can be used either as such or in compositions which additionally contain additives adapted to the intended use, for example conventional coating additives, solvents, fillers, photoinitiators, thermal initiators, levelling agents and pigments. The silanes according to the invention or the silane-containing compositions are suitable, for example, for the production of coating materials, fillers or bulk materials, of adhesives and injection molding materials, of fibers, particles, films, adhesion promoters, of impression compounds, of dental restoration materials and of embedding materials. Coatings and moldings comprising the silanes according to the invention have the advantage that they are photochemically structurable. Specific applications are, for example, the coating of substrates of metal, plastic, paper, ceramic, etc. by immersion, pouring, brushing, spraying, electrostatic spraying, electrodipl coating, etc., use for optical, optoelectrical or electronic components, the production of fillers, the production of scratch-resistant, abrasion-resistant,


corrosion-resistant coatings, the production of moldings, for example by injection molding, die casting, compression molding, rapid prototyping or extrusion, and the production of composites, for example of fibers, fillers or woven fabrics.

In addition to the silanes of the formula (I), according to the invention, further hydrolytically condensable compounds of silicon, of boron, of aluminum, of phosphorus, of tin, of lead, of the transition metals or of the lanthanides or actinides can also be used. These compounds can be employed either as such or ready in precondensed form for the preparation of the polycondensates. It is preferable if at least 10 mol %, in particular at least 80 mol % and especially at least 90 mol %, based on monomeric compounds, of the starting materials used for the preparation of the silica (hetero)polycondensates are silicon compounds.

It is also preferable if the silica (hetero)-polycondensates are based on at least 1 mol %, for example from 25 to 100 mol %, in particular from 50 to 100 mol %, especially from 75 to 100 mol %, based on monomeric compounds, of one or more of the silanes according to the invention.

Particularly preferred among the hydrolytically condensable silicon compounds which differ from silanes of the general formula (I) and can be optionally used are those of the general formula (II)






in which the radicals R, R'', X and Z' are identical or different and have the following meaning:

- R = Alkyl, alkenyl, aryl, alkylaryl or arylakyl,  
 R'' = Alkylene or alkenylene, these radicals may be interrupted by oxygen or sulfur atoms or -NH-groups,  
 X = Hydrogen, halogen, hydroxyl, alkoxy, acyloxy, alkylcarbonyl, alkoxycarbonyl or NR'<sub>2</sub>, where R' = hydrogen, alkyl or aryl,  
 Z' = Halogen or an optionally substituted amino, amido, aldehyde, alkylcarbonyl, carboxyl, mercapto, cyano, alkoxy, alkoxycarbonyl, sulfo, phosphoric acid, acryloyloxy, methacryloyloxy, epoxy or vinyl group,  
 a = 0, 1, 2 or 3 and  
 b = 0, 1, 2 or 3, where a+b = 1, 2 or 3.

Such silanes are described, for example, in DE 34 07 087 C2.

Also preferred among the hydrolytically condensable silicon compounds which differ from silanes of the general formula (I) and can optionally also be used are those of the general formula (III)



in which the radicals A, R, R<sup>2</sup> and X are identical or different and have the following meaning:

- A = O, S, PR', POR', NHC(O)O or NHC(O)NR', where R' = hydrogen, alkyl or aryl,
- B = straight-chain or branched organic radical which is derived from a compound B' having at least one (for l = 1 and A = NHC(O)O or NHC(O)NR') or at least two C=C double bonds and from 5 to 50 carbon atoms, where R' = hydrogen, alkyl or aryl,
- R = alkyl, alkenyl, aryl, alkylaryl or arylalkyl,
- R<sup>2</sup> = alkylene, arylene or alkylenearylene,
- X = hydrogen, halogen, hydroxyl, alkoxy, acyloxy, alkylcarbonyl, alkoxycarbonyl or NR'<sub>2</sub>, where R' = hydrogen, alkyl or aryl,
- n = 1, 2 or 3,
- k = 0, 1 or 2,
- l = 0 or 1 and
- x = a number whose maximum value corresponds to the number of double bonds in the compound B' minus 1 or is equal to the number of double bonds in the compound B' when l = 1 and A is NHC(O)O or NHC(O)NR'.

Such silanes are described in DE 40 11 044 and in EP 91 105 355.

Also particularly preferred among the hydrolytically condensable silicon compounds which differ from silanes of the general formula (I) and can

optionally also be used are those of the general formula (IV)




in which the radicals X, Y and R are identical or different and have the following meaning:

- R = alkyl, phenyl, aryl, alkylaryl or arylalkyl,  
 X = hydrogen, halogen or hydroxyl, alkoxy, acyloxy, alkylcarbonyl, alkoxy carbonyl or  $NR'_2$ , where  $R'$  = hydrogen, alkyl or aryl,  
 Y = a substituent which contains a substituted or unsubstituted 1,4,6-trioxospiro[4,4]nonane radical,  
 n = 1, 2 or 3 and  
 m = 1, 2 or 3, where  $n+m \leq 4$ .

These spirosilanes are hydrolyzable via the radicals X and polymerizable via the radicals Y, and they are described in great detail in DE 4125201 C1.

Also particularly preferred among the hydrolytically condensable silicon compounds which differ from silanes of the general formula (I) and can also optionally be used are those of the general formula (V)



in which the radicals and indices have the following

meaning:

B = a straight-chain or branched organic radical having at least one C=C double bond and from 4 to 50 carbon atoms;

X = hydrogen, halogen, hydroxyl, alkoxy, acyloxy, alkylcarbonyl, alkoxycarbonyl or NR''<sub>2</sub>;

R = alkyl, alkenyl, aryl, alkylaryl or arylalkyl;

R' = alkylene, arylene, arylenealkylene or alkylenearylene, each having from 0 to 10 carbon atoms, it being possible for these radicals to be interrupted by oxygen and sulfur atoms or by amino groups;

R'' = hydrogen, alkyl or aryl;

A = O, S or NH for d = 1 and

Z = CO and

R<sup>1</sup> = alkylene, arylene or alkylenearylene, each having from 1 to 10 carbon atoms, it being possible for these radicals to be interrupted by oxygen and sulfur atoms or amino groups,

R<sup>2</sup> = COOH or H; or

A = O, S, NH or COO for d = 1 and

Z = CHR, where R is H, alkyl, aryl or alkylaryl and

$R^1$  = alkylene, arylene or  
alkylenearylene, each  
having 1 to 10 carbon  
atoms, it being possible  
for these radicals to be  
interrupted by oxygen and  
sulfur atoms or by amino  
groups, and

$R^2$  = OH; or

A = O, S, NH or COO for d = 0 and

$R^1$  = alkylene, arylene or  
alkylenearylene, each  
having from 1 to 10  
carbon atoms, it being  
possible for these  
radicals to be  
interrupted by oxygen and  
sulfur atoms or by amino  
groups, and

$R^2$  = OH; or

A = S for d = 1 and

Z = CO and

$R^1$  = N and

$R^2$  = H;

a = 1, 2 or 3;

b = 0, 1 or 2, where a+b = 3;

c = 1, 2, 3 or 4.

Said silanes are described in DE 44 16 857 C1.

Among the optionally used hydrolyzable aluminum compounds, those which have the general formula  $AlR^o_3$ , in which the radical  $R^o$ , which may be identical or different, are selected from halogen, alkoxy, alkoxy carbonyl and hydroxyl, are particularly preferred. Regarding the more exact (preferred) definitions of these radicals, reference may be made to the statements in connection with the silanes according to the invention. Some or all of the abovementioned groups may also be replaced by chelate ligands (e.g. acetylacetone or acetoacetate, acetic acid).

Particularly preferred aluminum compounds are aluminum alkoxides and halides. In this context, the following may be mentioned as specific examples

$Al(OCH_3)_3$ ,  $Al(OC_2H_5)_3$ ,  $Al(O-n-C_3H_7)_3$ ,  $Al(O-i-C_3H_7)_3$ ,  
 $Al(OC_4H_9)_3$ ,  $Al(O-i-C_4H_9)_3$ ,  $Al(O-s-C_4H_9)_3$ ,  $AlCl_3$ ,  $AlCl(OH)_2$ .

Compounds liquid at room temperature, such as, for example, aluminum sec-butyrate and aluminium isopropylate, are particularly preferred.

Suitable hydrolyzable titanium and zirconium compounds which can optionally be used are those of the general formula  $MX_yR_z$ , in which M is Ti or Zr, y is an integer from 1 to 4, in particular from 2 to 4, z is 0, 1, 2 or 3, preferably 0, 1 or 2, and R are as defined in the case of the general formula (I). This also applies to the preferred meanings. Particularly

preferably, the compounds of the formula  $MX_yR_z$  are those in which  $y$  is 4.

As in the case of the above aluminium compounds, complexed titanium or zirconium compounds may also be used. Additional preferred complexing agents here are acrylic acid and methacrylic acid, and silanes according to the invention which have acrylate or methacrylate groups may also be used for complexing. In this case, the major advantage of the silanes according to the invention is that no additional complexing agents have to be used for complexing titanium and/or zirconium compounds.

Specific examples of zirconium and titanium compounds which may be used are the following:

$TiCl_4$ ,  $Ti(OC_2H_5)_4$ ,  $Ti(OC_3H_7)_4$ ,  $Ti(O-i-C_3H_7)_4$ ,  $Ti(OC_4H_9)_4$ ,  $Ti(2\text{-ethylhexyloxy})_4$ ,  $ZrCl_4$ ,  $Zr(OC_2H_5)_4$ ,  $Zr(OC_3H_7)_4$ ,  $Zr(O-i-C_3H_7)_4$ ,  $Zr(O-i-C_3H_7)_4$ ,  $Zr(OC_4H_9)_4$ ,  $Zr(2\text{-ethylhexyloxy})_4$ ,  $ZrOCl_2$ .

Further hydrolyzable compounds which may be used for the preparation of the polyheterocondensates are, for example, boron trihalides and boric acid esters, such as, for example,  $BCl_3$ ,  $B(OCH_3)_3$  and  $B(OC_2H_5)_3$ , tin tetrahalides and tin tetraalkoxides, such as, for example,  $SnCl_4$  and  $Sn(OCH_3)_4$ , and vanadyl compounds, such as, for example,  $VOCl_3$  and  $VO(OCH_3)_3$ .

The silanes according to the invention need not necessarily be isolated for further processing to give poly(hetero)condensates. It is also possible and

preferred, in a one-pot process, first to prepare these silanes and then - optionally after addition of further hydrolyzable compounds - to condense them hydrolytically. This reaction procedure represents a major advantage of the silanes according to the invention and the processing thereof to give polycondensates.

As already mentioned, the preparation of the poly(hetero)condensates can be effected in a manner customary in this area. If virtually exclusively silicon compounds are used, the hydrolytic condensation can in most cases be carried out by adding (preferably with stirring and in the presence of a hydrolysis and condensation catalyst) the required water, at room temperature or with slight cooling, directly to the silicon compounds to be hydrolyzed, which are present either as such or in solution in a suitable solvent, and then stirring the resulting mixture for some time (from one to several hours).

In the presence of reactive compounds aluminum, titanium or zirconium, it is as a rule advisable to add the water gradually. Regardless of the reactivity of the compounds present, the hydrolysis is effected as a rule at temperatures of from -20 to 130°C, preferably from 0 to 30°C or at the boiling point of the optionally used solvent. As already indicated, the best method of water addition depends in particular on the reactivity of the starting compounds used. Thus, for



example, the dissolved starting compounds can slowly be added dropwise to an excess of water, or water is added in one portion or in portions to the optionally dissolved starting compounds. It may also be useful not to add the water as such but to introduce it into the reaction system with the aid of water-containing organic or inorganic systems. In many cases, the introduction of the amount of water into the reaction mixture with the aid of moisture-laden adsorbance, for example of molecular sieves, and of water-containing, organic solvents, for example of 80% ethanol, has proven particularly suitable. However, the addition of water can also be effected by means of a chemical reaction in which water is liberated in the course of the reaction. Examples of this are esterifications.

If a solvent is used, ketones, preferably lower dialkyl ketones, such as acetone or methyl isobutyl ketone, ethers, preferably lower dialkyl ethers, such as diethyl ether or dibutyl ether, THF, amides, esters, in particular ethyl acetate, dimethylformamide, amines, in particular triethylamine, and mixtures thereof are also suitable in addition to the lower aliphatic alcohols (e.g. ethanol or isopropanol).

If spirosilanes are used for the preparation of the poly(hetero)condensates, hydrolysis is preferably carried out in a medium which is basic with respect to the spirosilanes. This is produced either by a basic solvent, such as, for example, by triethylamine, or by

addition of basic hydrolysis and condensation catalysts, such as, for example,  $\text{NH}_3$ ,  $\text{NaOH}$ ,  $\text{KOH}$ , methylimidazole, etc.

The starting compounds need not necessarily all be present at the beginning of the hydrolysis (polycondensation), but it may even prove advantageous in certain cases if only some of these compounds are initially brought into contact with water and the remaining compounds are added later.

In order to avoid as far as possible precipitates during the hydrolysis and the polycondensation, in particular with the use of hydrolyzable compounds differing from silicon compounds, the addition of water can be effected in a plurality of stages, for example in three stages. In the first stage, for example, a tenth to a twentieth of the amount of water required for the hydrolysis can be added. After brief stirring, the addition of a fifth to a tenth of the required amount of water can be effected and, after further brief stirring, the remainder can finally be added.

The condensation time depends on the respective starting components and their amounts, the optionally used catalyst, the reaction temperature, etc. In general, the polycondensation is effected at atmospheric pressure but may also be carried out at superatmospheric or reduced pressure.

The poly(hetero)condensate thus obtained can be

further processed either as such or after partial or virtually complete removal of the solvent used. In some cases, it may prove advantageous if, in the product obtained after the polycondensation, the excess water and the resulting and optionally additionally used solvent are replaced by another solvent in order to stabilize the poly(hetero)condensate. For this purpose, the reaction mixture can be thickened, for example in vacuo at slightly elevated temperature, to such an extent that it can still be taken up by another solvent without problems.

If these poly(hetero)condensates are to be used as coating materials, for example for coating plastics (such as, for example, PVC, PC, PMMA, PE, PS, etc., of glass, paper, wood, ceramic, metal, etc.), customary coating additives, such as, for example, colorants (pigments or dyes), fillers, antioxidants, flameproofing agents, leveling agents, UV absorbers, stabilizers or the like, may also optionally be added to them at the latest prior to use. Additives for increasing the conductivity (for example, graphite powder, silver powder, etc.) also deserve to be mentioned in this context. In the case of the use as molding material, the addition of inorganic and/or organic fillers, such as, for example, organic and inorganic particles, (glass) fibers, minerals, etc., is particularly suitable.

The final curing of the poly(hetero)condensates

is effected thermally, by redox initiation or photochemically after the addition of suitable initiators, it also being possible for a plurality of curing mechanisms to take place simultaneously and/or in succession. In the course of the polymerization, the C=C double bonds are produced and the organic network is built up. Owing to the relatively high molecular weights of the silanes according to the invention, they undergo only slight volume shrinkage during curing.

It is also possible to add further components capable of ionic and/or free radical and/or covalent nucleophilic polymerization to the poly(hetero)condensates before the final curing, i.e. before the polymerization. Compounds which are capable of free radical copolymerization and which may be added are, for example, those having C=C double bonds, such as, for example, acrylates or methacrylates, the polymerization taking place via the C=C double bonds. Compounds which are capable of ionic copolymerization and which may be added contain, for example, ring systems capable of ring-opening cationic polymerization, such as, for example, spiroorthoesters, spiroorthocarbonates, bicyclic spiroorthoesters, mono- or oligoepoxides or spirosilanes of the general formula IV. However, it is also possible to add compounds capable of both cationic and free radical polymerization, such as, for example, methacryloyl-spiroorthoesters. These can undergo free radical

polymerization by the C=C double bond and cationic polymerization with ring opening. These systems are described, for example, in Journal f. prakt. Chemie, Volume 330, Part 2, 1988, pages 316-318, or in Journal of Polymer Science: Part C: Polymer Letters, Vol. 26, pages 517-520 (1988).

If the curing of the poly(hetero)condensates is effected photochemically, photoinitiators are added to it, thermal initiators are added in the case of thermal curing and initiator-activator systems are added in the case of redox-initiated curing.

The initiator can be added in customary amounts. Thus, initiators can be added in an amount of, for example, from 0.5 to 5% by weight, in particular from 1 to 3% by weight, based on the mixture, for example to a mixture which contains from 30 to 50% by weight of solid (polycondensate).

If, in addition to the silanes according to the invention, further components which contain reactive double bonds, such as, for example, silanes according to the general formula (III), are used for the preparation of the poly(hetero)condensates, a polymerization which can be initiated thermally and/or photochemically and/or by redox initiators can likewise take place via these double bonds.

Photoinitiators used may be, for example, the commercially available ones. Examples of these are Irgacure 184 (1-hydroxycyclohexyl phenyl ketone),

Irgacure 500 (1-hydroxycyclohexyl phenyl ketone/benzophenone) and other photoinitiators of the Irgacure type available from Ciba-Geigy: Darocure 1173, 1116, 1398, 1174 and 1020 (available from Merck), benzophenone, 2-chlorothioxanthone, 2-methylthioxanthone, 2-isopropylthioxanthone, benzoin, 4,4'-dimethoxybenzoin, etc. If the curing is effected using visible light, such as, for example, in the dental sector, the initiator used may be, for example, camphorquinone.

Particularly suitable thermal initiators are organic peroxides in the form of diacyl peroxides, peroxydicarbonates, alkyl peresters, dialkyl peroxides, perketals, ketone peroxides and alkyl hydroperoxides. Specific and preferred examples of thermal initiators are dibenzoyl peroxide, 1-butyl perbenzoate and azobisisobutyronitrile.

The initiator/activator systems used may be those which are customary for this purpose, such as, for example, aromatic amines (e.g. N,N-bis(2-hydroxyethyl)-p-toluidine), and the activators or initiators used may be, for example, dibenzoyl peroxide, it being possible to set the curing time according to the respective application via the concentration thereof or the concentration ratio thereof. Further amines are mentioned, for example, in DE 4310733.

In the case of covalent nucleophilic curing,

for example, compounds having at least one amino group are added as initiators. Suitable amines are mentioned, for example, in DE 4405261.

A coating material (poly(hetero)condensate) provided with an initiator and based on the silanes according to the invention can then be used for coating substrates. Customary coating methods, for example dipping, flooding, pouring, spin-coating, roll-coating, spraying, brushing on, electrostatic spraying and electrodip coating, can be used for this coating. It should also be mentioned here that the coating material need not necessarily be solvent-containing. Particularly with the use of starting substances (silanes) having two alkoxy groups on the silicon atom, it is also possible to work without adding solvents.

Before the curing, the applied coat is preferably allowed to dry. Then, depending on the type of initiator, it can be cured by redox initiation, thermally or photochemically in a manner known per se. Combinations of curing methods are of course also possible.

If the curing of the applied coat is effected by irradiation, it may prove advantageous to carry out thermal curing after the radiation curing, in particular to remove any solvent still present or to include further reactive groups in the curing.

Although polymerizable groups are already present in the poly(hetero)condensates based on the

silanes according to the invention, it may prove advantageous in certain cases to add further compounds (preferably of purely organic nature) having, for example, unsaturated groups to these condensates before or during their further processing. Preferred examples of such compounds are acrylic acid and methacrylic acid and compounds derived therefrom, in particular esters of preferably monohydric alcohols (e.g. C<sub>1-4</sub>-alkanols), (meth)acrylonitrile, styrene and mixtures thereof. When the poly(hetero)condensates are used for the preparation of coating materials, such compounds can simultaneously act as solvents or diluents.

The production of moldings or molding materials from poly(hetero)condensates based on the silanes according to the invention can be effected by any method customary in this field, for example by compression molding, injection molding, die casting, extrusion, etc. The poly(hetero)condensates based on the silanes according to the invention are also suitable for the production of composite materials (for example with glass fiber reinforcement).

A further potential application of the silanes according to the invention is for the preparation of hydrolytically condensable polymers. For this purpose, the silanes according to the invention are polymerized, alone or together with other components capable of free radical and/or ionic and/or covalent nucleophilic copolymerization, the final curing then being effected



by hydrolytic condensation via the hydrolyzable groups of the silanes according to the invention and possibly of further, hydrolyzable components. In this case, the organic network is first built up by polymerization and the inorganic one is then built up by hydrolytic condensation.

The polymers are prepared by free radical and/or ionic and/or covalent nucleophilic polymerization of one or more C=C double bond-containing compounds and optionally other compounds capable of free radical and/or ionic and/or covalent nucleophilic polymerization, by redox initiation and/or by the action of heat and/or of electromagnetic radiation, optionally in the presence of one or more initiators and/or of a solvent, and, in said preparation, from 1 to 100 mol percent, based on monomeric compounds, of the C=C double bond-containing compounds is selected from the silanes of the general formula (I) according to the invention.

However, it is also possible to add further components capable of ionic and/or free radical and/or covalent nucleophilic copolymerization to the silanes according to the invention before the polymerization. Compounds capable of free radical polymerization and which may be added are, for example, those having C=C double bonds, such as, for example, acrylates or methacrylates, the polymerization taking place via the C=C double bonds. Compounds which are capable of ionic

polymerization and which may be added contain, for example, ring systems which are cationically polymerizable with ring opening, such as, for example, spiroorthoesters, spiroorthocarbonates, bicyclic bispiroorthoesters, mono- or oligoepoxides or spirosilanes of the general formula IV. However, compounds capable of both cationic and free radical polymerization, such as, for example, methacryloyl-spiroorthoesters, may also be added. These are capable of free radical polymerization via the C=C double bond and cationic polymerization with ring opening. These systems are described, for example, in Journal f. prakt. Chemie, Volume 330, Part 2, 1988, pages 316-318, or in Journal of Polymer Science: Part C: Polymer Letters, Vol. 26, pages 517-520 (1988).

Further hydrolyzable and polymerizable compounds of silicon may be added, optionally in precondensed form, to the silanes according to the invention before polymerization and are then incorporated as polymerized units. Such silicon compounds are derived, for example, from epoxide-containing silanes, are therefore capable of cationic polymerization and are used, inter alia, for the preparation of the spirosilanes according to DE 4125201 C1. These systems are described in DE 4125201 C1.

However, it is also possible to use silicon compounds which are derived, for example, from those of

the general formula (III) and are capable of free radical polymerization. These systems have already been described in more detail in the case of the preparation of the poly(hetero)condensates.

The polymerization is effected by redox initiation and/or thermally and/or photochemically after the addition of suitable initiators. For example, C=C double bonds are produced in the course of a free radical polymerization and rings of spiro groups and possibly further rings capable of free radical polymerization may be opened in the course of the cationic polymerization. The organic network is built up as a result. Surprisingly, it was found that the volume of the reaction material does not change or changes only slightly in the course of this polymerization. The relatively high molecular weight of the silanes according to the invention is responsible for this.

Photoinitiators are added to the reaction material if the polymerization is effected photochemically, thermal initiators are added if the polymerization is effected thermally, and initiator/activator systems are added in the case of redox-initiated polymerization.

If components having spiro groups were added to the silanes according to the invention, polymerization which can be initiated thermally or photochemically can likewise take place via said groups. Photoinitiators

which may be used for this purpose are, for example, the commercially available ones.

Initiator can be added in customary amounts. Thus, initiator in an amount of, for example, from 0.5 to 5% by weight, in particular from 1 to 3% by weight, based on the mixture, may be added, for example, to a mixture which contains from 30 to 50% by weight of solid.

In order to build up the inorganic network, the polymer obtained in this manner can then be hydrolytically condensed, optionally in the presence of further, hydrolytically condensable compounds of silicon and optionally other elements from the group consisting of B, Al, P, Sn, Pb, the transition metals, the lanthanides and the actinides, and/or precondensates derived from the abovementioned compounds, by the action of water or moisture, optionally in the presence of a catalyst and/or of a solvent. The polymers contain hydrolyzable groups X, for example alkoxy groups, so that an inorganic network (Si-O-Si units) can be built up therewith.

Preferred among the optionally used hydrolyzable compounds of silicon are those of the general formula (II), optionally in precondensed form. These systems have already been described in detail in the case of the preparation of the poly(hetero)condensates.

Particularly preferred among the optionally

used hydrolyzable aluminum compounds are those which have the general formula  $AlR^o_3$ , and suitable hydrolyzable titanium and zirconium compounds which may optionally be used are those of the general formula  $MX_yR_z$ . These systems, too, have already been discussed in detail in the case of the preparation of the poly(hetero)condensates.

Further hydrolyzable compounds which can be added to the polymer are, for example, boron trihalides and boric acid esters, such as, for example,  $BCl_3$ ,  $B(OCH_3)_3$  and  $B(OC_2H_5)_3$ , tin tetrahalides and tin tetraalkoxides, such as, for example,  $SnCl_4$  and  $Sn(OCH_3)_4$ , and vanadyl compounds, such as, for example,  $VOCl_3$  and  $VO(OCH_3)_3$ .

As already mentioned, here too the hydrolytic condensation can be effected in a manner customary in this area. The hydrolytic condensation can be effected in most cases by adding the required water, at room temperature or with slight cooling, directly to that polymer to be hydrolyzed, which is present either as such or in solution in a suitable solvent, preferably while stirring and in the presence of a hydrolysis and condensation catalyst.

In the presence of reactive compounds of Al, Ti or Zr, gradual addition of the water is as a rule advisable here too. Regardless of the reactivity of the compounds present, here too the hydrolysis is effected as a rule at temperatures of from  $-20$  to  $130^\circ C$ ,

preferably from 0 to 30°C, or the boiling point of the optionally used solvent. As already indicated, the best method of addition of water depends in particular on the reactivity of the starting compounds used. Thus, for example, the dissolved polymer can be slowly added dropwise to an excess of water, or water is added in a portion or in portions to the optionally dissolved polymer. It may also be useful not to add the water as such but to introduce it into the reaction system with the aid of water-containing organic or inorganic systems.

The polyfunctional silanes according to the invention provide starting compounds which permit the preparation of inorganic-organic composite polymers having a very wide range of properties adjustable within wide ranges or the modification of existing composite polymers. The use of such a material includes various purposes and, inter alia, use as bulk material, composites, adhesives, casting and sealing compounds, coating materials, adhesion promoters and binders for ceramic particles (ceramic shaping processes), for the production or priming of fillers and fibers and of grinding disks, use in reaction extruders and in dental restoration materials. The photochemically, the thermally and the chemically (2-components, anaerobic, redox, etc.) induced reaction are suitable for the organic polymerization. The combination of self-curing with, for example, photoinitiated or thermal curing is


also possible.

A particular advantage of the silanes according to the invention, for example over silanes of DE 4011044 C2 is their excellent chemical and thermal stability. The amido group of the silanes according to the invention is chemically and thermally more stable than the urethane group of the silanes of DE 4011044 C2.

The invention is explained in more detail with reference to an embodiment.

1. Synthesis of the carboxylic acid-modified dimethacrylate

First, a carboxylic acid-modified dimethacrylate is prepared by customary methods according to the following equation.



2. Synthesis of the silane according to the invention

19.8 g (0.08 mol) of 3-isocyanatopropyltriethoxysilane and, as a catalyst, 0.45 g (4.0 mol) of diazabicyclooctane (DABCO) are initially introduced, and 26.2 g (0.08 mol) of the carboxylic acid-modified dimethacrylate (from 1.) are added dropwise at 50°C under a dry atmosphere. The reaction can be monitored via the decrease in the isocyanate band ( $\nu_{\text{NCO}} = 2273 \text{ cm}^{-1}$ ) and via the formation and increase of the band associated with the resulting amido group in the

IR spectrum. After the end of the addition and further stirring at 50°C to complete the reaction, the desired product is obtained in the form of a clear, colorless liquid after customary working up.

IR data:  $\nu_{(\text{NH} \rightarrow \text{amide})} \approx 3324 \text{ cm}^{-1}$   
 $\nu_{(\text{C}=\text{O} \rightarrow \text{amide})} \approx 1657 \text{ cm}^{-1}$   
 $\nu_{(\text{C}=\text{C} \rightarrow \text{methacrylate})} \approx 1655 \text{ cm}^{-1}$   
 $\nu_{(\text{C}=\text{O} \rightarrow \text{ester, methacrylate})} \approx 1726 \text{ cm}^{-1}$

3. Hydrolysis and condensation, synthesis of the polycondensate

8.64 g of water (+ catalyst) are added to 80 mmol of the product from 2. in 80 ml of ethyl acetate for hydrolysis and condensation of the ethoxy groups, and stirring is carried out at room temperature. After the reaction is complete (detection by water titration), the solution, which is clear after working up, can be used, after addition of an initiator, for example for coating (with subsequent curing, i.e. polymerization of the methacrylate groups) any desired substrates.

4. Hydrolysis and condensation, synthesis of the polycondensate

8.64 g of water (+ catalyst) are added to 80 mmol of the product from 2. in 80 ml of ethyl acetate for hydrolysis and condensation of the ethoxy groups, and stirring is carried out at room temperature. After the reaction is complete (detection via water titration) and 27 mmol of dodecanediol



dimethacrylate have been added, the solution, which is clear after working up, can be used, after addition of an initiator, for example for coating (with subsequent curing, i.e. polymerization of the methacrylate groups) any desired substrates.

Removal of the solvent gives a liquid resin (solvent-free application is thus possible) which, after addition of an initiator and curing (i.e. polymerization of the methacrylate groups), can be used, for example, for the production of moldings.

5. Curing, polymerization of the double bonds

1% of Lucrin (photoinitiator) is dissolved in 10 g of the resin from 4. and added to a rod mold (2 x 2 x 25 mm<sup>3</sup>). The methacrylate groups are subjected to a photoinitiated free radical polymerization reaction, the resin curing. For this purpose, exposure is effected on both sides using a spotlight. The modulus of elasticity and the breaking strength of the resulting rods are determined by means of the three-point bending test.


Modulus of elasticity = 2.66 Gpa

Breaking strength = 118 MPa

Excellent mechanical data thus result, and it is for this reason that the silanes according to the invention are very suitable, for example, for the production of matrix systems for dental composites.

## PATENT CLAIMS

1. A hydrolyzable and polymerizable organically modified silane of the general formula I



in which the radicals and indices have the following meaning:

B = straight-chain or branched organic radical having 2 to 50 carbon atoms and at least one C=C double bond, the -CO-NH- group being bonded to a carbon atom of the radical B, and B containing no norbornene, bicyclo[2.2.2]oct-2-ene or 7-oxabicyclo[2.2.1]hept-2-ene group;

R = optionally substituted alkyl, alkenyl, aryl, alkylaryl or arylalkyl, each having 1 to 15 carbon atoms, it being possible for these radicals to contain oxygen and/or sulfur and/or nitrogen atoms;

R<sup>0</sup> = optionally substituted alkylene, alkenylene, arylene, alkylenearylene or arylenealkylene, each having 1 to 15 carbon atoms, it being possible for these radicals to contain oxygen and/or sulfur and/or nitrogen atoms;

R' = optionally substituted alkylene, alkenylene, arylene, alkylenearylene or arylenealkylene, each having 1 to 15 carbon atoms, it being possible for

these radicals to contain oxygen and/or sulfur and/or nitrogen atoms;

X = hydrogen, halogen, hydroxyl, alkoxy, acyloxy, alkylcarbonyl, alkoxycarbonyl or  $\text{NR}'_2$ , where  $\text{R}'$  is hydrogen, alkyl or aryl;

a = 1, 2 or 3;


b = 1, 2 or 3, and  $a+b = 2, 3$  or 4;

c = 0 or 1;

d = 1, 2, 3, 4, 5, 6, 7, 8, 9 or 10;


e = 1, 2, 3 or 4, where  $e = 1$  when  $c = 0$ .

2. The silane as claimed in claim 1, which has the general formula Ia




in which the radicals and indices are as defined in claim 1.

3. The silane as claimed in claim 1, which has the general formula Ib



in which the radicals and indices are as defined in claim 1.


4. The silane as claimed in claim 1, which has the general formula Ic



in which the radicals and indices are as defined in


claim 1.

5. The silane as claimed in claim 1, which has the general formula Id




in which the radicals and indices are as defined in claim 1.

6. The silane as claimed in claim 1, which has the general formula Ie




in which the radicals and indices are as defined in claim 1.

7. The silane as claimed in claim 1, which has the general formula If



in which the radicals and indices are as defined in claim 1.

8. The silane as claimed in claim 1, which has the general formula Ig



in which the radicals and indices are as defined in claim 1.

9. The silane as claimed in any of claims 1 to 8, wherein, in the general formula I, Ia, Ib, Ic, Id, Ie,

If or Ig, the radicals and indices have the following meaning:

X = (C<sub>1</sub>-C<sub>4</sub>)-alkoxy, preferably methoxy or ethoxy, or halogen, preferably Cl;

R = (C<sub>1</sub>-C<sub>4</sub>)-alkyl, preferably methyl and ethyl;

R' = (C<sub>1</sub>-C<sub>4</sub>)-alkylene, preferably methylene, ethylene and propylene;

B, R<sup>o</sup>, a, b, c, d and e are as defined in claim 1.


10. The silane as claimed in one or more of claims 1 to 9, wherein B in the general formula I, Ia, Ib, Ic, Id, Ie, If or Ig is a substituted or unsubstituted organic radical having one or more acrylate and/or methacrylate groups.

11. The silane as claimed in claim 10, wherein the radical B is derived from acrylates and/or from methacrylates of trimethylolpropane, of glycerol, of pentaerythritol, of dipentaerythritol, of C<sub>2</sub>-C<sub>4</sub>-alkanediols, of polyethylene glycols, of polypropylene glycols or of optionally substituted and/or alkoxyated bisphenol A.

12. A process for the preparation of the silanes as claimed in one or more of claims 1 to 11, wherein b x e moles of a compound B(COOH)<sub>d</sub> are reacted with d moles of a compound [{OCN-R'}<sub>e</sub>R<sup>o</sup><sub>c</sub>]<sub>b</sub>SiX<sub>a</sub>R<sub>4-a-b</sub> under decarboxylating conditions, the radicals and indices being as defined in claim 1.

13. The use of a silane as claimed in claim 1 for the preparation of organically modified silica

polycondensates or of organically modified silica heteropolycondensates by hydrolytic condensation of one or more hydrolytically condensable compounds of silicon and optionally other elements from the group consisting of B, Al, P, Sn, Pb, the transition metals, the lanthanides and the actinides, and/or precondensates derived from the abovementioned compounds, optionally in the presence of a catalyst and/or of a solvent, by the action of water or of moisture, wherein from 1 to 100 mol %, based on monomeric compounds, of the hydrolytically condensable compounds are selected from silanes of the general formula I



in which the radicals and indices are as defined in claim 1.


14. The use as claimed in claim 13, wherein compounds capable of free radical and/or ionic and/or covalent nucleophilic polymerization are used, optionally in precondensed form, as further hydrolytically condensable compounds.

15. The use as claimed in claim 13 or 14, wherein one or more initiators are added to the polycondensate and wherein the polycondensate is cured thermally and/or photochemically and/or by redox initiation.

16. The use as claimed in one or more of claims 13 to 15, wherein one or more components capable of free radical and/or ionic and/or covalent nucleophilic

polymerization are added to the polycondensate before the curing.

17. The use of the silane as claimed in claim 1 for the preparation of polymers by free radical and/or ionic and/or covalent nucleophilic polymerization of one or more compounds containing C=C double bonds and optionally other compounds capable of free radical and/or ionic and/or covalent nucleophilic polymerization, by redox initiation and/or by the action of heat and/or of electromagnetic radiation and optionally in the presence of one or more initiators and/or of a solvent, wherein from 1 to 100 mol %, based on monomeric compounds, are selected from silanes of the formula I



in which the radicals and indices are as defined in claim 1.

18. The use as claimed in claim 17, wherein one or more spiroorthoesters, spiroorthocarbonates, bicyclic spiroorthoesters, methacryloylspiroorthoesters or mono- or oligoepoxides are used as cationically polymerizable compounds.

19. The use as claimed in claim 17 or 18, wherein the polymer is hydrolytically condensed, optionally in the presence of further hydrolytically condensable compounds of silicon and optionally other elements from the group consisting of B, Al, P, Sn, Pb, the

transition metals, the lanthanides and the actinides, and/or precondensates derived from the abovementioned compounds, by the action of water or moisture, optionally in the presence of a catalyst and/or of a solvent.


20. The use of the silanes as claimed in one or more of claims 1 to 11 for the preparation of polycondensates, of heteropolycondensates, of polymers, of bulk materials, of composites, of adhesives, of casting and sealing compounds, of coating materials, of coatings, of abrasives, of adhesion promoters, of binders, of fillers, of fibers, of films, of (contact) lenses and of dental restoration materials.



PCT

WELTORGANISATION FÜR GEISTIGES EIGENTUM  
Internationales BüroINTERNATIONALE ANMELDUNG VERÖFFENTLICHT NACH DEM VERTRAG ÜBER DIE  
INTERNATIONALE ZUSAMMENARBEIT AUF DEM GEBIET DES PATENTWESENS (PCT)

<b>(51) Internationale Patentklassifikation <sup>7</sup> :</b> <b>C07F 7/12, 7/18, 7/10, C08G 77/20,</b> <b>77/22, C08F 30/08</b>	<b>A1</b>	<b>(11) Internationale Veröffentlichungsnummer: WO 00/53612</b>  <b>(43) Internationales</b> <b>Veröffentlichungsdatum:</b> 14. September 2000 (14.09.00)
<b>(21) Internationales Aktenzeichen:</b> PCT/DE00/00765  <b>(22) Internationales Anmeldedatum:</b> 7. März 2000 (07.03.00)  <b>(30) Prioritätsdaten:</b> 199 10 895.1      11. März 1999 (11.03.99)      DE  <b>(71) Anmelder (für alle Bestimmungsstaaten ausser US):</b> FRAUN- HOFER-GESELLSCHAFT ZUR FÖRDERUNG DER ANGEWANDTEN FORSCHUNG E.V. [DE/DE]; Leon- rodstrasse 54, D-80636 München (DE).  <b>(72) Erfinder; und</b> <b>(75) Erfinder/Anmelder (nur für US):</b> WOLTER, Herbert [DE/DE]; Staufering 78, D-97941 Taubertshausen (DE). SCHMITZER, Siegfried [DE/DE]; Wolfhartsgasse 3, D-97070 Würzburg (DE).	<b>(81) Bestimmungsstaaten:</b> AU, BR, CA, CZ, KR, NO, NZ, PL, SI, TR, US, eurasisches Patent (AM, AZ, BY, KG, KZ, MD, RU, TJ, TM), europäisches Patent (AT, BE, CH, CY, DE, DK, ES, FI, FR, GB, GR, IE, IT, LU, MC, NL, PT, SE).  <b>Veröffentlicht</b> <i>Mit internationalem Recherchenbericht.</i>	

**(54) Title:** HYDROLYSABLE AND POLYMERISABLE SILANES**(54) Bezeichnung:** HYDROLYSIERBARE UND POLYMERISIERBARE SILANE**(57) Abstract**

The invention relates to hydrolysable and polymerisable silanes of formula (I), a method of preparing same and their use in the production of silicic acid (hetero)polycondensates and (hetero)polymers. The rests and indices have the following meanings: B = an organic rest with at least one C=C double bond; R = alkyl, alkenyl, aryl, alkylaryl or arylalkyl; R° = alkylene, alkenylene, arylene, alkylene-arylene or arylene-alkylene; R' = alkylene, alkenylene, arylene, alkylene-arylene or arylene-alkylene; X = hydrogen, halogen, hydroxy, alkoxy, acyloxy, alkyl carbonyl, alkoxy carbonyl or NR''<sub>2</sub>, where R'' is hydrogen, alkyl or aryl; a = 1, 2 or 3; b = 1, 2 or 3, where a+b = 2, 3 or 4; c = 0 or 1; d = 1, 2, 3, 4, 5, 6, 7, 8, 9 or 10; and e = 1, 2, 3 or 4, where e = 1 if c = 0.

**(57) Zusammenfassung**

Die Erfindung betrifft hydrolysierbare und polymerisierbare Silane der Formel (I), ein Verfahren zu deren Herstellung sowie deren Verwendung zur Herstellung von Kieselsäure(hetero)polykondensaten und (Hetero)Polymerisaten. Die Reste und Indices haben folgende Bedeutung: B = organischer Rest mit mindestens einer C=C-Doppelbindung; R = Alkyl, Alkenyl, Aryl, Alkylaryl oder Arylalkyl; R° = Alkylen, Alkenylen, Arylen, Alkylenarylen oder Arylenalkylen; R' = Alkylen, Alkenylen, Arylen, Alkylenarylen oder Arylenalkylen; X = Wasserstoff, Halogen, Hydroxy, Alkoxy, Acyloxy, Alkylcarbonyl, Alkoxy carbonyl oder NR''<sub>2</sub>, mit R'' gleich Wasserstoff, Alkyl oder Aryl; a = 1, 2 oder 3; b = 1, 2 oder 3, mit a + b = 2, 3 oder 4; c = 0 oder 1; d = 1, 2, 3, 4, 5, 6, 7, 8, 9, oder 10; e = 1, 2, 3 oder 4, mit e = 1 für c = 0.

**DECLARATION AND POWER OF ATTORNEY**

As a below named inventor, I HEREBY DECLARE:

THAT my residence, post office address, and citizenship are as stated below next to my name;

THAT I believe I am the original, first, and sole inventor (if only one inventor is named below) or an original, first, and joint inventor (if plural inventors are named below or in an attached Declaration) of the subject matter which is claimed and for which a patent is sought on the invention entitled

**HYDROLYZABLE AND POLYMERIZABLE SILANES**

**(Attorney Docket No. 060953-0129)**

the specification of which (check one)

       is attached hereto.

  X   was filed on March 7, 2000 as United States Application Number or PCT International Application Number PCT/DE00/00765 and was amended on        (if applicable).

THAT I do not know and do not believe that the same invention was ever known or used by others in the United States of America, or was patented or described in any printed publication in any country, before I (we) invented it;

THAT I do not know and do not believe that the same invention was patented or described in any printed publication in any country, or in public use or on sale in the United States of America, for more than one year prior to the filing date of this United States application;

THAT I do not know and do not believe that the same invention was first patented or made the subject of an inventor's certificate that issued in any country foreign to the United States of America before the filing date of this United States application if the foreign application was filed by me (us), or by my (our) legal representatives or assigns, more than twelve months (six months for design patents) prior to the filing date of this United States application;

THAT I have reviewed and understand the contents of the above-identified specification, including the claim(s), as amended by any amendment specifically referred to above;

THAT I believe that the above-identified specification contains a written description of the invention, and of the manner and process of making and using it, in such full, clear, concise, and exact terms as to enable any person skilled in the art to which it pertains, or with which it is most nearly connected, to make and use the invention, and sets forth the best mode contemplated by me of carrying out the invention; and

THAT I acknowledge the duty to disclose to the U.S. Patent and Trademark Office all information known to me to be material to patentability as defined in Title 37, Code of Federal Regulations, §1.56.

I HEREBY CLAIM foreign priority benefits under Title 35, United States Code § 119(a)-(d) or § 365(b) of any foreign application(s) for patent or inventor's certificate, or § 365(a) of any PCT international application which designated at least one country other than the United States of America, listed below and have also identified below any foreign application for patent or inventor's certificate or of any PCT international application having a filing date before that of the application on which priority is claimed.

Prior Foreign Application Number	Country	Foreign Filing Date	Priority Claimed?	Certified Copy Attached?
199 10 895.1	Germany	03/11/1999	YES	

I HEREBY CLAIM the benefit under Title 35, United States Code § 119(e) of any United States provisional application(s) listed below.

U.S. Provisional Application Number	Filing Date

I HEREBY CLAIM the benefit under Title 35, United States Code, § 120 of any United States application(s), or § 365(c) of any PCT international application designating the United States of America, listed below and, insofar as the subject matter of each of the claims of this application is not disclosed in the prior United States or PCT International application in the manner provided by the first paragraph of Title 35, United States Code, § 112, I acknowledge the duty to disclose information which is material to patentability as defined in Title 37, Code of Federal Regulations, § 1.56 which became available between the filing date of the prior application and the national or PCT international filing date of this application.

U.S. Parent Application Number	PCT Parent Application Number	Parent Filing Date	Parent Patent Number

I HEREBY APPOINT the following registered attorneys and agents of the law firm of FOLEY & LARDNER:

STEPHEN A. BENT  
 DAVID A. BLUMENTHAL  
 BETH A. BURROUS  
 ALAN I. CANTOR  
 WILLIAM T. ELLIS  
 JOHN J. FELDHAUS  
 MICHAEL D. KAMINSKI  
 LYLE K. KIMMS  
 KENNETH E. KROSIN

Reg. No. 29,768  
 Reg. No. 26,257  
 Reg. No. 35,087  
 Reg. No. 28,163  
 Reg. No. 26,874  
 Reg. No. 28,822  
 Reg. No. 32,904  
 Reg. No. 34,079  
 Reg. No. 25,735

JOHNNY A. KUMAR	Reg. No. <u>34,649</u>
JACK LAHR	Reg. No. <u>19,621</u>
GLENN LAW	Reg. No. <u>34,371</u>
PETER G. MACK	Reg. No. <u>26,001</u>
STEPHEN B. MAEBIUS	Reg. No. <u>35,264</u>
BRIAN J. MC NAMARA	Reg. No. <u>32,789</u>
SYBIL MELOY	Reg. No. <u>22,749</u>
RICHARD C. PEET	Reg. No. <u>35,792</u>
GEORGE E. QUILLIN	Reg. No. <u>32,792</u>
ANDREW E. RAWLINS	Reg. No. <u>34,702</u>
BERNHARD D. SAXE	Reg. No. <u>28,665</u>
CHARLES F. SCHILL	Reg. No. <u>27,590</u>
RICHARD L. SCHWAAB	Reg. No. <u>25,479</u>
MICHELE M. SIMKIN	Reg. No. <u>34,717</u>
HAROLD C. WEGNER	Reg. No. <u>25,258</u>

24

to have full power to prosecute this application and any continuations, divisions, reissues, and reexaminations thereof, to receive the patent, and to transact all business in the United States Patent and Trademark Office connected therewith.

I request that all correspondence be directed to:

Stephen A. Bent  
FOLEY & LARDNER  
Washington Harbour  
3000 K Street, N.W., Suite 500  
Washington, D.C. 20007-5109

Telephone: (202) 672-5404  
 Facsimile: (202) 672-5399

I UNDERSTAND AND AGREE THAT the foregoing attorneys and agents appointed by me to prosecute this application do not personally represent me or my legal interests, but instead represent the interests of the legal owner(s) of the invention described in this application.

I FURTHER DECLARE THAT all statements made herein of my own knowledge are true, and that all statements made on information and belief are believed to be true; and further that these statements were made with the knowledge that willful false statements and the like so made are punishable by fine or imprisonment, or both, under Section 1001 of Title 18 of the United States Code, and that such willful false statements may jeopardize the validity of the application or any patent issuing thereon.

Name of first inventor	<u>Herbert Wolter</u>
Residence	<u>Tauberbischofsheim, Gemany</u> <i>Tex</i>
Citizenship	<u>German</u>
Post Office Address	<u>Stauferring 78</u> <u>97941 Tauberbischofsheim, Gemany</u>
Inventor's signature	<u><i>[Signature]</i></u>
Date	<u>31.10.2007</u>

200  
Name of second inventor

Siegfried SCHMITZER

Residence

Wuerzburg, Germany

Citizenship

German

Post Office Address

Wolfhartsgasse 3  
D-97070 Wuerzburg, Germany

Inventor's signature

Siegfried Schmitzer

Date

31/10/2001